



RUBI & SIGMA

Professional Tiling Tools



sigma



55941 - 1200MM PROFESSIONAL ELECTRIC TILE CUTTER

CODE	DC250.1200
BLADE SIZE	Diameter 250mm
MOTOR STRENGTH	1100W
CUT LENGTH	1205mm
DIAGONAL CUT (TILE SIZE)	850mm x 850mm
TILE THICKNESS	Variable (61mm - 90mm)
WEIGHT	75kg

A cutter for all tile types. With an adjustable ruler (0-60°). Supplied with a 250mm blade.



51990 - 1500 PROFESSIONAL LASER AND LEVEL CUTTER

CODE	DS250.1500
BLADE SIZE	Diameter 250mm
MOTOR STRENGTH	2200W
CUT LENGTH	1520mm
DIAGONAL CUT (TILE SIZE)	1075mm x 1075mm
TILE THICKNESS	51mm max.
WEIGHT	130kg


A cutter for all tile types. A blade is not supplied - this is due to the many tile types that can be cut.



54911 - 1000 PROFESSIONAL ELECTRIC TILE CUTTER

CODE	DV200.1000
BLADE SIZE	Diameter 200mm
MOTOR STRENGTH	1100W
CUT LENGTH	1060mm
DIAGONAL CUT (TILE SIZE)	765mm x 765mm
TILE THICKNESS	35mm max.
WEIGHT	65kg

A cutter for all tile types. Supplied with a 200mm blade.



45910 - TABLE TOP (PORTABLE) ELECTRIC TILE CUTTER

CODE	ND-200
BLADE SIZE	Diameter 200mm
MOTOR STRENGTH	880W
CUT LENGTH	Infinite
DIAGONAL CUT (TILE SIZE)	Infinite
TILE THICKNESS	40mm max.
WEIGHT	17.2kg

Table top tile cutter. Portable and handy for cutting any size tile. Supplied with 200mm blade.

NOTE

Please read instruction manuals for care and maintenance.
Electric machines must be thoroughly cleaned after every use to ensure accuracy.

ERRORS AND OMISSIONS EXCEPTED



TS43 (18940)

CODE	TS43
MAX CUT LENGTH	430mm
MAX CUT DIAGONAL (TILE SIZE)	300mm x 300mm
MAX CUT THICKNESS	6-15mm
BREAKING POWER	550kg
WEIGHT	6,4kg (With carry case)

Supplied with 6 and 10mm scoring wheels and carry case.



TS66 (18960)

CODE	TS66
MAX CUT LENGTH	660mm
MAX CUT DIAGONAL (TILE SIZE)	460mm x 460mm
MAX CUT THICKNESS	6-15mm
BREAKING POWER	550kg
WEIGHT	13,4 kg (With carry case)

Supplied with 6 and 10mm scoring wheels and carry case.



“N” BREAKER (18933)

CODE	N Breaker
FUNCTION	Replacement N breaker for TS tile cutters.



BLUE SLIDER (15860 / 15861)

CODE	BSLIDER.43 / BSLIDER.66
FUNCTION	Replacement Blue Slider for TS tile cutters.



TS SLIDER HANDLE (15010)

CODE	TSSLIDER.H
FUNCTION	Replacement slider handle for TS tile cutters.



TX900 (17979)

CODE	TX900
MAX CUT LENGTH	930mm
MAX CUT DIAGONAL (TILE SIZE)	650mm x 650mm
MAX CUT THICKNESS	6-20mm
BREAKING POWER	1000kg
WEIGHT	17.05kg (with carrying case)

Supplied with 10mm and 18mm scoring wheels and carry case.



TP-66-T (12955)

CODE	TP-66-T
MAX CUT LENGTH	660mm
MAX CUT DIAGONAL (TILE SIZE)	460mm x 460mm
MAX CUT THICKNESS	5-20mm
BREAKING POWER	1000kg
WEIGHT	10.5kg

Adjustment for varying tile thickness is done on the handle. There are settings of 6-9mm and 12-20mm TP cutters have a built-in carrying handle.



TP-75-T (12957)

CODE	TP-75-T
MAX CUT LENGTH	750mm
MAX CUT DIAGONAL (TILE SIZE)	530mm x 530mm
MAX CUT THICKNESS	5-20mm
BREAKING POWER	1000kg
WEIGHT	11kg

Adjustment for varying tile thickness is done on the handle. There are settings of 6-9mm and 12-20mm TP cutters have a built-in carrying handle.



TP-93-T (12959)

CODE	TP-93-T
MAX CUT LENGTH	930mm
MAX CUT DIAGONAL (TILE SIZE)	650mm x 650mm
MAX CUT THICKNESS	5-20mm
BREAKING POWER	1000kg
WEIGHT	14kg

Adjustment for varying tile thickness is done on the handle. There are settings of 6-9mm and 12-20mm TP cutters have a built-in carrying handle.



04919 - EASY GRES DRILL BIT SETS

CODE EGDBSET.610
FUNCTION Drill bit set consisting of 6 and 10mm diamond drill bits, water tank with adjustable flow, guides and self adhesive pads. Used to drill holes into wall and floor tiles.

CODE 04999
FUNCTION Pack of 20 replacement adhesive pads.



TWINFLEX TILE SPACERS

CODE TFLEX.25
DESCRIPTION 2-5mm spacers - 100 in a bag
FUNCTION Allows perfect alignment between walls and floors by bending the spacer through the middle. Each spacer replaces 4 individual tile spacers and assists in perfect alignment of floor tiles. Being clear, the user can clearly see all four tile corners. The Twinflex Spacers are reusable.



SLIMLINE SYSTEM CUTTER

CODE SSCUTTER.310
MAX CUT LENGTH 3100mm
MAX CUT THICKNESS 3-8mm
WEIGHT 6.3kg

FUNCTION
 The Slimline System Cutter is a manual cutting system for large format porcelain tiles between 3mm and 8mm in thickness. The System is supplied in a carry bag with all the parts necessary to cut tiles up to 310cm long. Assemble the rails to the desired length and align on the tile face. Activate the suction cups to hold the rail in place. Run the scoring wheel along the length of the tile to score the surface. Use the two pliers on each end of the tile to open the scored line. Bend the tile edge up carefully to cause the tile to break along the scored line. Spare rails, pliers, scoring mechanisms and all other parts are available on request. Kirk Marketing will carry stock of the spare scoring wheels 18912 (which can also used on the new TP tile cutters).



6MM WIDIA SCORING WHEEL

CODE 1945
FUNCTION 6mm Widia Scoring Wheel and Shaft for TS range



8MM WIDIA AND PLUS SCORING WHEELS

CODE 1958
FUNCTION 8mm Widia Scoring Wheel and Shaft for TS range

CODE 1959
FUNCTION 8mm Plus Scoring Wheel and Shaft for TX range



10MM WIDIA AND PLUS SCORING WHEELS

CODE 1946
FUNCTION 10mm Widia Scoring Wheel and Shaft for TS range

CODE 1991
FUNCTION 10mm Plus Scoring Wheel and Shaft for TX range



18MM WIDIA AND PLUS SCORING WHEELS

CODE 1950
FUNCTION 18mm Widia Scoring Wheel and Shaft for TS range

CODE 1992
FUNCTION 18mm Plus Scoring Wheel and Shaft for TX range



22MM WIDIA AND GOLD SCORING WHEELS

CODE 18914
FUNCTION 22mm Widia Scoring Wheel for TP range

CODE 18912
FUNCTION 22mm Gold Scoring Wheel for TP range and Slimline System. 22mm Gold Scoring Wheel with bearings for use on the Slimline System Cutter. This wheel has Titanium surface treatment to ensure a long life. The wheel is mounted on bearings to increase accuracy and the quality of the cut.

RUBI SCORING WHEEL QUICK REFERENCE GUIDE

MATERIAL TO BE CUT	TS RANGE	TX RANGE	TP RANGE
Wall tiles	1945	1959	18912/18914
Porcelain tiles, wall and floor tiles & stoneware	1958	1959	18912/18914
Floor tiles and stoneware	1946	1991	18912/18914
Rough or difficult to cut ceramics	1950	1992	18912/18914

ERRORS AND OMISSIONS EXCEPTED

Sigma tile cutters are designed, tested and manufactured in Italy and is one the most well-known brands of tile cutter in the world. Kirk Marketing offers the most popular Manual Tile Cutters in their range in sizes from 45cm to 128cm, along with the most common spare parts required to keep the machines in good working order.. All other Sigma products can be ordered with a lead time.



45CM SIGMA PULL TILE CUTTER

CODE	SIGMA.45
MAX CUT LENGTH	450mm
MAX CUT DIAGONAL (TILE SIZE)	310mm x 310mm
MAX CUT THICKNESS	20mm
BREAKING POWER	1050kg
WEIGHT	7.3kg




SIGMA MOSAIC KIT

CODE	SIGMA.MK
DESCRIPTION	The Sigma Mosaic Kit is a spare set of supports designed to aid in the cutting of mosaic sheets. This kit fits the SIGMA.45 tile cutter and is available as an optional extra.




65CM SIGMA PULL TILE CUTTER

CODE	SIGMA.65
MAX CUT LENGTH	650mm
MAX CUT DIAGONAL (TILE SIZE)	450mm x 450mm
MAX CUT THICKNESS	20mm
BREAKING POWER	1050kg
WEIGHT	10kg



77CM SIGMA PULL TILE CUTTER

CODE	SIGMA.77
MAX CUT LENGTH	770mm
MAX CUT DIAGONAL (TILE SIZE)	540mm x 540mm
MAX CUT THICKNESS	20mm
BREAKING POWER	1050kg
WEIGHT	11.8kg



95CM SIGMA PULL TILE CUTTER

CODE	SIGMA.95
MAX CUT LENGTH	950mm
MAX CUT DIAGONAL (TILE SIZE)	670mm x 760mm
MAX CUT THICKNESS	20mm
BREAKING POWER	1050kg
WEIGHT	13.5kg



128CM SIGMA PULL TILE CUTTER

CODE	SIGMA.128
MAX CUT LENGTH	128mm
MAX CUT DIAGONAL (TILE SIZE)	900m x 900mm
MAX CUT THICKNESS	20mm
BREAKING POWER	1200kg
WEIGHT	31.5kg

ERRORS AND OMISSIONS EXCEPTED



SIGMA SPARE SCORING WHEEL

CODE SIGMA.SW
DESCRIPTION Spare scoring wheels for Sigma 45, 65, 77 and 95 Tile Cutters.

CODE SIGMA.SW16
DESCRIPTION Spare scoring wheel for Sigma 128 Tile Cutter.



SIGMA SPARE HANDLE

CODE SIGMA.SH1
DESCRIPTION Spare handle for the Sigma 45 and 65 Tile Cutters. The handle matches the thickness of the scoring bar of each machine, handle selection is determined by the machine size.

CODE SIGMA.SH2
DESCRIPTION Spare handle for the Sigma 77 and 95 Tile Cutters.



SIGMA SPARE HANDLE

CODE SIGMA.SH3
DESCRIPTION Spare handle for the Sigma 128 Tile Cutter.



SIGMA MEASURING ARM CLAMPING KNOB

CODE SIGMA.CKL
DESCRIPTION The Clamping Knob Lever is a part that can be damaged or go missing.

The Lever is used to tighten the measuring arm at the desired angle and can be completely removed. It is also used to tighten the measuring arm to the spring loaded supports during transportation. This part is universal and can be used on all machines in the range.



SIGMA MEASURING ARM

CODE SIGMA.MA - 45, 65, 77, 95, 128
DESCRIPTION Sigma Measuring Arms are unique to each machine. See the table for details.

SIGMA SPARE PARTS QUICK REFERENCE GUIDE

MACHINE	SCORING WHEEL	SPARE HANDLE	MEASURING ARM CLAMPING KNOB	ADJUSTABLE SCREW FOR SCORING GUIDE	BREAKER PROTECTOR PADS	MEASURING ARM
SIGMA.45	SIGMA.SW	SIGMA.SH1	SIGMA.CKL	SIGMA.AS	SIGMA.BP	SIGMA45.MA
SIGMA.65	SIGMA.SW	SIGMA.SH1	SIGMA.CKL	SIGMA.AS	SIGMA.BP	SIGMA65.MA
SIGMA.77	SIGMA.SW	SIGMA.SH2	SIGMA.CKL	SIGMA.AS	SIGMA.BP	SIGMA77.MA
SIGMA.95	SIGMA.SW	SIGMA.SH2	SIGMA.CKL	SIGMA.AS	SIGMA.BP	SIGMA95.MA
SIGMA.128	SIGMA.SW16	SIGMA.SH3	SIGMA.CKL	SIGMA.AS	SIGMA.BP	SIGMA128.MA

ERRORS AND OMISSIONS EXCEPTED